

# STAINLESS STEEL FLANGES AND BUTTWELD FITTINGS



DESCRIPTION	TYPE	SIZE (MM) (NB)	SIZE (IN.) (NB)	SCH/ LBS	SCH/ RADIUS	GRADE	QTY	DESCRIPTION
CAP	(ENDCAP)	150	6	SCH /80		316	2	
CAP	(ENDCAP)	400	16	SCH /40	L/R	316L	4	
ELBOW	45 DEG	65	2 1/2	SCH /80	L/R	316L	1	
ELBOW	45 DEG	300	12	SCH /05	L/R	316L	6	
ELBOW	45 DEG	350	14	SCH /05	L/R	316	1	
ELBOW	45 DEG	400	16	SCH /10	L/R	316L	1	
ELBOW	90 DEG	40	1 1/2	SCH /10	L/R	304L	12	
ELBOW	90 DEG	40	1 1/2	SCH /80	L/R	316L	27	
ELBOW	90 DEG	80	3	SCH /10	L/R	316L	15	
ELBOW	90 DEG	150	6	SCH /10	L/R	316L	2	
ELBOW	90 DEG	150	6	SCH /40	L/R	316	1	
ELBOW	90 DEG	150	6	SCH /80	L/R	SAF2205	1	(DUPLEX)
ELBOW	90 DEG	350	14	SCH /40	L/R	304L	40	
ELBOW	90 DEG	350	14	SCH /40	L/R	321	1	
FLANGE	RF BLIND	200	8	150LB		316L	1	
FLANGE	RF BLIND	500	20	150LB		316	1	
FLANGE	RF BLIND	600	24	150LB		316L	5	
FLANGE	RFSO	50	2	150LB		316	5	
FLANGE	RFWN	20	3/4	1500LB	SCH /160	316/316L	4	LONG NECK
FLANGE	RFWN	20	3/4	2500LB	XXS	316/316L	4	
FLANGE	RFWN	25	1	600LB	SCH /80	316	4	
FLANGE	RFWN	25	1	1500LB	XXS	316/316L	6	LONG NECK
FLANGE	RFWN	25	1	1500LB	XXS	316/316L	10	
FLANGE	RFWN	40	1 1/2	300LB	SCH /40	F51	5	
FLANGE	RFWN	40	1 1/2	600LB	SCH /160	316/316L	4	
FLANGE	RTJWN	40	1 1/2	600LB	SCH /160	316/316L	4	
FLANGE	RFWN	40	1 1/2	1500LB	XXS	316/316L	5	LONG NECK
FLANGE	RFWN	40	1 1/2	1500LB	XXS	316/316L	11	
FLANGE	RFWN	40	1 1/2	1500LB	XXS	316/316L	5	LONG NECK
FLANGE	RTJWN	40	1 1/2	1500LB	XXS	316/316L	5	LONG NECK
FLANGE	RFWN	50	2	150LB	SCH /80	316	20	
FLANGE	RFWN	50	2	1500LB	SCH /60	316/316L	4	
FLANGE	RFWN	50	2	1500LB	XXS	F51	2	LONG NECK
FLANGE	RFWN	50	2	1500LB	XXS	F51	4	
FLANGE	RFWN	80	3	150LB	SCH /10	316	7	
FLANGE	RFWN	100	4	150LB	SCH /10	F51	4	
FLANGE	RTJ BLIND	50	2	1500LB		316	4	
FLANGE	RTJ BLIND	50	2	1500LB		F51	6	
FLANGE	RTJ BLIND	80	3	900LB		F51	1	
FLANGE	RTJWN	20	3/4	1500LB		316/316L	46	LONG NECK
FLANGE	RTJWN	20	3/4	2500LB	XXS	316/316L	26	
FLANGE	RTJWN	25	1	1500LB	XXS	316/316L	6	LONG NECK
FLANGE	RTJWN	25	1	1500LB	XXS	316/316L	10	LONG NECK
FLANGE	RTJWN	25	1	2500LB	XXS	316/316L	4	
FLANGE	RTJWN	40	1 1/2	1500LB	XXS	316/316L	11	
FLANGE	RTJWN	50	2	1500LB	XXS	F51	4	LONG NECK

DESCRIPTION	TYPE	SIZE (MM) (NB)	SIZE (IN.) (NB)	SCH/ LBS	SCH/ RADIUS	GRADE	QTY	DESCRIPTION
FLANGE	RTJWN	50	2	1500LB	XXS	F51	4	
FLANGE	RTJWN	50	2	1500LB	SCH /80	316/316L	4	
FLANGE	RTJWN	50	2	1500LB	SCH /80	F51	10	
FLANGE	RTJWN	80	3	900LB	SCH /80	F51	6	
FLANGE	RTJWN	100	4	900LB	SCH /80	F51	5	
NIPPLE	PIPE	25	1	SCH /80	NPT	316	60	100MM LONG
NIPPLE	PIPE	50	2	SCH /80	NPT	316	32	100MM LONG
PIPE		150	6	SCH /40		316	7.41M	SEAMLESS
PIPE		150	6	SCH /40		316	3.5M	SEAMLESS
PIPE		150	6	SCH /80		316	3.4M	SEAMLESS
PIPE		200	8	SCH /10		316	6.6M	SEAMLESS
PLUG	HEX	15	1/2	3000LB		316	60	
PLUG	HEX	20	3/4	3000LB		316	50	
REDUCER	CONCENTRIC	100 X 80	4 X 3	SCH /10		316L	3	
REDUCER	CONCENTRIC	200 X 150	8 X 6	SCH /10		316L	1	
REDUCER	CONCENTRIC	250 X 200	10 X 8	SCH /10		316L	3	
REDUCER	CONCENTRIC	300 X 250	12 X 10	SCH /40		321	3	
REDUCER	CONCENTRIC	400 X 300	16 X 12	SCH /10		304L	1	
REDUCING	BUSH	15 X 8	1/2 X 3/8		NPT	316	34	CAJON
STUB END		300	12	SCH /5		316L	4	
TEE	EQUAL	150	6	SCH /10		316	2	
TEE	EQUAL	300	12	SCH /5		316L	2	
TEE	EQUAL	300	12	SCH /10		316L	3	
TEE	EQUAL	400	16	SCH /5		316L	1	
TEE	REDUCING	100 X 50	4 X 2	SCH /40		316L	2	
TEE	REDUCING	200 X 150	8 X 6	SCH /40		316L	1	
TEE	REDUCING	250 X 150	10 X 6	SCH /40		316	1	
TEE	REDUCING	350 X 200	14 X 8	SCH /10		316	1	
WELDOLET		25	900 TO 125	RUN	SCH /10	316	20	
WELDOLET		25	100 TO 50	RUN	SCH /10	316	41	

ALL ITEMS ARE CERTIFIED TO EN10204-3.1 (DIN500493.1) (FORMERLY 3.1B).

WE CAN SOURCE FLANGES, FITTINGS AND PIPE FROM AUSTRALIA AND OVERSEAS STOCKISTS AND SHORT LEAD TIME MANUFACTURERS IN SCHEDULE 5 TO XXS AND ANSI 150 TO 2500 CLASS FROM ASIA, EUROPE AND THE USA. OUR IN HOUSE ENGINEERING FACILITY CAN MODIFY SCHEDULE, NECK ETC, IN 24 HOURS.

**ABBREVIATIONS:-**

**45 DEG**=45 DEGREE, **90 DEG**=90 DEGREE, **LB**=ANSI CLASS, **L/R**=LONG RADIUS, **RF**=RAISED FACE SERRATED FINISH 125 TO 250 AARH (3.2 TO 6.3RA), **RTJ**=RING JOINT GROOVED, **SCH**=SCHEDULE, **SO**=SLIP ON WELD, **S/R**=SHORT RADIUS, **S/W**=SOCKET WELD, **WN**=WELD NECK

[www.globalsupplyline.com.au](http://www.globalsupplyline.com.au)

DESCRIPTION	TYPE	SIZE (NB) (MM)	SIZE (IN.) (NB)	SCH/ LBS	SCH/ RADIUS	GRADE	QTY	DESCRIPTION
-------------	------	-------------------	-----------------	----------	----------------	-------	-----	-------------

THIS STOCK LIST INCLUDES 15MM NB TO 600MM NB (.5 INCH TO 24 INCH) IN 304, 316, 316L STAINLESS STEEL AND DUPLEX F51, F53, MONEL, S31803 etc. ANSI FLANGES, AND SEAMLESS BUTTWELD FITTINGS, IN 316, 316L, F51 ETC. INCLUDING WELD NECK AND BLIND FLANGES IN ANSI CLASS 150, 300, 600, 900, 1500, 2500, TEES, ELBOWS, REDUCERS etc. IN SCHEDULE 10, 20, 40, 80, 100, 120. 160. XS. XXS AND STANDARD WEIGHT.