









The quality option





"We make valves since 1968"

JC Fábrica de Válvulas S.A., established in 1968, is a multinational company specialised in the manufacture and sale of high quality industrial valves.

The expertise and know how acquired over the years coupled with the continued investments in the design of valves, has made JC a world renowned company in the field of valve applications.

JC Fábrica de Válvulas S.A., fundada en 1968, es una empresa multinacional especializada en la fabricación y comercialización de válvulas industriales de alta calidad.

La experiencia y el saber hacer adquirido durante todos estos años, junto con las continuas inversiones en el diseño de válvulas, ha hecho de JC una empresa reconocida mundialmente en el campo de aplicaciones de válvulas industriales.



Gate valves | Válvulas de compuerta

GATE BOLTED BONNET

- » VC150BB Class 150. From 2" to 42"
- » VC300BB Class 300. From 2" to 42"
- VC600BB Class 600. From 2" to 24"
- » VC900BB
- Class 900. From 2" to 20"
- » VC1500BB Class 1500. From 2" to 16"
- » VC2500BB Class 2500. From 2" to 14"



GATE PRESSURE SEAL

- » VC900PS Class 900. From 2" to 20"
- » VC1500PS Class 1500. From 2" to 18"
- » VC2500PS Class 2500. From 2" to 12"





Globe valves | Válvulas de globo

GLOBE BOLTED BONNET

- » VG150BB Class 150. From 2" to 16"
- » VG300BB Class 300. From 2" to 12"
- » VG600BB Class 600. From 2" to 12"
- » VG900BB
 - Class 900. From 2" to 8"
- » VG1500BB Class 1500. From 2" to 8"
- » VG2500BB Class 2500. From 2" to 8"



GLOBE PRESSURE SEAL

- » VG900PS Class 900. From 2" to 16"
- » VG1500PS Class 1500. From 2" to 16"
- » VG2500PS Class 2500. From 2" to 12"





Check valves | Válvulas de retención

CHECK BOLTED COVER

- » VR150BC
 - Class 150. From 2" to 36"
- >> VR300BC Class 300. From 2" to 20"
- » VR600BC Class 600. From 2" to 16"
- » VR900BC
 - Class 900. From 2" to 8"
- » VR1500BC Class 1500. From 2" to 8'
- » VR2500BC Class 2500. From 2" to 8"



CHECK PRESSURE SEAL

- » VG900PS Class 900. From 2" to 16"
- » VG1500PS Class 1500. From 2" to 16"
- » VG2500PS Class 2500. From 2" to 12"





Butterfly valves | Válvulas de mariposa

API BUTTERFLY

- » FLANGE B31 150Lb / 300Lb From 2" to 48"
- » WAFER B32 150Lb / 300Lb From 2" to 48"
- » LUG B33 150Lb / 300Lb From 2" to 48"



DIN BUTTERFLY

- » FLANGE B31 PN10 / PN16 / PN25 / PN40 From DN 50 to DN 1200
- » WAFER B32 PN10 / PN16 / PN25 / PN40 From DN 50 to DN 1200
- » BUTT-WELDING B31 PN10 / PN16 / PN25 / PN40 From 3" to 48"





>>> Global services | Servicio global

JC Fabrica de Valvulas S.A. offers its customers a world wide service, from technical advice to choose the right valve up to the design and manufacture of custom built valves to meet special service requirements.

Our R+D department is always ready to find solutions for severe applications and our global distribution network offers quick availability of JC valves and an efficient after sales service.

JC Fábrica de Válvulas S.A. ofrece a sus clientes un servicio global, que va desde el asesoramiento técnico para la elección de la válvula adecuada, hasta el diseño y fabricación de válvulas a medida para requerimientos de servicios especiales.

Nuestro departamento de I+D está preparado para encontrar soluciones a las aplicaciones más severas. El Servicio de distribución mundial ofrece una rápida disponibilidad de las válvulas JC y un eficiente servicio postventa.

"R+D, quality and innovation" "I+D, calidad e innovación"



>> Market sectors | Sectores de actividad

JC develops and designs valves for all applications, but the main focus is in Oil & Gas, Chemical, Petrochemical, Pulp & Paper and Energy sectors.

JC desarrolla y produce válvulas para todas las aplicaciones, pero está especializada principalmente en los mercados de Petróleo, Gas Química Petroquímica Industria Papelera y Energía



Oil Petróleo



Chemical Química



Gas Gas



Pulp & Paper Industria Papelera



Petrochemical Petroquímica



Energy *Energia*

GLOBAL SERVICE SERVICIO GLOBAL

TECHNICAL SUPPORT SERVICIO TÉCNICO



DESIGNDISEÑO



MANUFACTURE FABRICACIÓN



WORLD WIDE DISTRIBUTION
DISTRIBUCIÓN



AFTER-SALES SERVICE SERVICIO POST VENTA



W





FLOATING ASME

- FIG. 515 | Full Bore Class 150. From 1/2" to 8"
- FIG. 530 | Full Bore Class 300. From 1/2" to 6"
- FIG. 715 | Reduced Bore Class 150. From 1/2" to 12"
- » FIG. 730 | Reduced Bore Class 300. From 1/2" to 8"
- FIG. 560 | Full Bore Class 600. From 1/2" to 4"
- FIG. 660 | Reduced Bore Class 600. From 2" to 4"



FLOATING EN-DIN

- FIG. 516 | Full Bore PN16. From DN 65 to DN 200
- FIG. 540 | Full Bore PN40. From DN 15 to DN 150
- FIG. 316 | Full Bore PN16. From DN 65 to DN 150
- FIG. 340 | Full Bore PN40. From DN 15 to DN 150
- FIG. 512 | Full Bore PN16. From DN 15 to DN 200



3 PIECE FORGED TRUNNION MOUNTED

- » FORGED 6015 | Full Bore Class 150. From 2" to 42"
- » FORGED 6030 | Full Bore Class 300. From 2" to 42"
- » FORGED 6060 | Full Bore Class 600. From 2" to 24"
- » FORGED 6090 | Full Bore Class 900. From 2" to 24"
- » FORGED 6050 | Full Bore Class 1500. From 2" to 12"
- » FORGED 6042 | Full Bore Class 2500. From 2" to 8"
- » FORGED 7015 | Reduced Bore Class 150. From 3" to 42"
- » FORGED 7030 | Reduced Bore Class 300. From 2" to 42"
- » FORGED 7060 | Reduced Bore Class 600. From 3" to 30"
- » FORGED 7090 | Reduced Bore Class 900. From 3" to 30"
- » FORGED 7050 | Reduced Bore Class 1500. From 3" to 14"
- » FORGED 7042 | Reduced Bore Class 2500. From 3" to 10"

2 PIECE CAST TRUNNION MOUNTED

- CAST 2515 | Full Bore Class 150. From 2" to 16"
- » CAST 2530 | Full Bore Class 300. From 2" to 16"
- CAST 2560 | Full Bore Class 600. From 2" to 12"



SEMI-TRUNNION

- » FIG. 1515 | Full Bore Class 150. From 10" to 12"
- FIG. 1530 | Full Bore Class 300. From 8" to 12"
- **» FIG. 1516** | Full Bore PN16. From DN 250 to DN 300
- FIG. 1540 | Full Bore PN40. From DN 200 to DN 300



METAL SEATED 3-PIECE FORGED TRUNNION MOUNTED

- FIG. 6015 | Full Bore Class 150. From 2" to 24"
- FIG. 6030 | Full Bore Class 300. From 2" to 24"
- » FIG. 6060 | Full Bore Class 600. From 2" to 24"
- FIG. 6090 | Full Bore Class 900. From 2" to 12"
- FIG. 6050 | Full Bore Class 1500. From 2" to 8"
- FIG. 7015 | Reduced Bore Class 150. From 2" to 24"
- » FIG. 7030 | Reduced Bore Class 300. From 2" to 24"
- FIG. 7060 | Reduced Bore Class 600. From 2" to 24"
- FIG. 7090 | Reduced Bore Class 900. From 2" to 12"
- FIG. 7050 | Reduced Bore Class 1500. From 2" to 8"



FULLY WELDED VALVES

» FULLY WELDED Class 150 | 300 | 600. From 2" to 24"





😩 Ball valves | Válvulas de bola

3 PIECE FORGED TRUNNION MOUNTED

- » FIG. 800 | Full Bore Class 800. From 1/4" to 2"
- » FIG. 81500 | Full Bore Class 1500. From 1/4" 2"



MONOBLOCK

- » FIG. 400 | Full Bore Class 800. From 3/8" to 2"
- » FIG. 411N | Reduced Bore Class 800. From 1/2" to 2"
- » FIG. 41500 | Reduced & Full Bore Class 1500. From 3/8" to 2"



FLOATING 3 WAY

- » FIG. 915 | Full Bore Class 150. From 1" to 8"
- » FIG. 916 | Full Bore PN16. From DN 25 to DN 200



METAL SEATED

- » FIG. 3516 | Full Bore PN16. From DN 65 to DN 200
- » FIG. 3540 | Full Bore PN40. From DN 15 to DN 150
- » FIG. 3515 | Full Bore Class 150. From 1/2" to 8"
- » FIG. 3530 | Full Bore Class 300. From 1/2" to 6"
- » FIG. 3560 | Full Bore Class 600. From 1/2" to 1 1/2"



METAL SEATED UDV

- » UDV Class 800 | Reduced Bore Class 800. From 1/2" to 2"
- » UDV Class 1500 | Reduced Bore Class 1500. From 1/2" to 2"



METAL SEATED CAST TRUNNION

- » FIG. 2515 | Full Bore Class 150. From 2" to 16"
- » FIG. 2530 | Full Bore Class 300. From 2" to 16"
- » FIG. 2560 | Full Bore Clas 600. From 2" to 12"



Special constructions | Construcciones especiales





















>> JC World Wide | JC en el mundo

JC Valves provides world wide coverage thanks to the strategic locations of its factories and offices: *JC Valves proporciona cobertura mundial gracias a la situación estratégica de sus fábricas y oficinas:*



>>> Quality assurance | Sistema de aseguramiento

JC Valves are designed and produced to meet the major international standards and we take great care and put a lot of emphasis on QUALITY, which provides our customers with a total guarantee and trouble free operation of their process.

And in addition, we take great care to make our facilities and our products Environment friendly.

Las válvulas JC están diseñadas y fabricadas para cumplir las principales normas internacionales de certificación, y ponemos énfasis en la CALIDAD, que proporciona a nuestros clientes una total garantía y seguridad en las operaciones de sus procesos.

Además nos preocupamos por que nuestras fábricas y productos sean respetuosos con el Medio Ambiente.



















FIRE SAFE ISO 10497 : 2004 API 607: 3rd, 4th, 5th edition

FUGITIVE EMISSIONS EN-ISO 15848-1 SIL3

CRN



JC FÁBRICA DE VÁLVULAS S.A

C/ Cantabria, 2 Polígono Industrial Les Salines 08830 Sant Boi del Llobregat Barcelona (Spain) Phone +34 93 654 86 86 Fax +34 93 654 86 87 sales@jc-valves.com www.jc-valves.com

China JC MANUFACTURING GROUP (SHANGHAI) CO., LTD

No. 790, Tao Gan Road, SheShan Industrial Zone Songjiang District, Shanghai, P.R.C. P.C: 201602

Phone: 0086 21 57792345 Fax: 0086 21 57792277 sales@jc-valves.net.cn

20675 boul. Industriel Ste-Anne-de-Bellevue Qc H9X 4B2

Phone: 001 514 457 5777 Toll Free: 800 667 4819 Fax: 001 514 457 6163 trueline.sales@trueline.ca www.jc-tl.com

Singapore JC FLOW CONTROLS PTE. LTD.

5 Tuas View Close Tradelink Place Singapore 637490 Phone: -(65) 6862 4662 Fax: -(65) 6562 3148 bernardwong@jcflowcontrols.com.sg

For further information visit our website www.jc-valves.com

P.O. Box 51937 Hamriyah Free Zone Sharjah (UAE) Phone: 009716 526 93 53 Fax: 009716 526 93 56 sales@jcvalves.ae www.jc-valves.com

India JC VALVULAS INDIA PVT. LTD.

Block No. 155/1-A, Por GIDC - Kashipura Road, Ramangamdi, Vadodara - 391243 Gujarat - India Phone: 00912652830146

jcsales@jcvalves.co.in

