

CONTROL VALVES PNEUMATIC OPERATION



TYPE	SIZE		RATING	ENDS	MAKER	DESCRIPTION	BODY		TRIM	QTY
	MM	INCH								
CONTROL	25	1	600 CL.	RF	FISHER	GLOBE SR 667 SIZE 40 DIAPH	WCB	316		1
CONTROL	25	1	600 CL.	RF	FISHER	GLOBE SR 357 SIZE 40 DIAPH	WCC	316		4
CONTROL	50	2	150 CL.	RF	HONEYWELL	GLOBE SR PN 800-12 DIAPH	316	316		1
CONTROL	50	2	300 CL.	RF	FISHER	GLOBE S/R EZ667 DIAPH	WCB	316		1
CONTROL	50	2	1500 CL.	RTJ	VALTEK	GLOBE SR RA MAN O/RIDE PISTON	A105	316		1
CONTROL	65	2 1/2	TABLE H	RF	MOTOYAMA	GLOBE SR DIAPH	CI	SUS 27		1
CONTROL	100	4	TABLE H	RF	MOTOYAMA	GLOBE SR DIAPH	CI	SUS 27		1
CONTROL	150	6	150 CL.	RF	HONEYWELL	GLOBE SR PISTON	316	316		1
CONTROL	200	8	600 CL.	LUGGED	FISHER	BUTTERFLY HP 1052 SIZE 40 DIAPH	CS	316/PTFE		1
CONTROL	250	10	150 CL.	RF	FISHER	GLOBE EWT 667-4 SIZE 70 DIAPH	WCC	316		2
CONTROL	250	10	150 CL.	WAFER	WORCESTER	BUTTERFLY GYROVANE EQUAL FLOW% BARE	316	316 CONTOURED VANE		3
CONTROL	250	10	300 CL.	BW	FISHER	GLOBE EWT 667-4 SIZE 70 DIAPH	WCC	316		2
CONTROL	250	10	300 CL.	WAFER	FISHER	VEE BALL 1052/V100/3610J SIZE 70 DIAPH	WCB	316/17-4PH		5
CONTROL	300	12	600 CL.	WAFER	FISHER	HI BALL 476U-8-V25 476D SIZE 60 DIAPH	WCB	316/DELIRIN		2
CONTROL	300	12	TABLE E	FLANGED	DEZURIK	BUTTERFLY HP DA PISTON	WCB	STEEL		2
CONTROL	350	14	150 CL.	WAFER	FISHER	BUTTERFLY HP 1051-8501 E DISC BARE	316	317+CR PL		1
CONTROL	350	14	300 CL.	RF	MASONEILAN	GLOBE CAMFLEX 70-35212 PISTON	CS	316 HF PLUG		1
CONTROL	450	18	150 CL.	FF	RICHARDS	BUTTERFLY HP SR 7200 DIAPH	CS	316/STEEL		4

ABBREVIATIONS FOR CONTROL VALVES:- BARE=BARE STEM, BW=BUTTWELD, CI=CAST IRON, CL=ANSI/ASME CLASS, CS=CARBON STEEL, DA=DOUBLE ACTING, DIAPH=DIAPHRAGM TYPE ACTUATOR, PISTON=PISTON TYPE ACTUATOR, RA=RIGHT ANGLE, SR=SPRING RETURN

GLOBAL SUPPLY LINE PRODUCT RANGE CONTROL VALVES

GLOBE TYPE, PNEUMATIC ACTUATED FISHER®™ STYLE, V PORT CONTROL VALVES, BUTTERFLY CONTROL VALVES.

ANSI END CONNECTIONS: - ANSI RTJ (RING JOINT) FLANGED, SOCKETWELD, ANSI RF FLANGED (SMOOTH FINISH), LONG EXTENDED PUP ENDS, NPT, BSP, PBE, BUTTWELD STANDARD WEIGHT.

BUTTWELD SCHEDULE 40, BUTTWELD SCHEDULE 80, BUTTWELD SCHEDULE 160, BUTTWELD SCHEDULE XXS.

NACE MR-01-75, H2S SERVICE.

ANSI CLASS 125, ANSI CLASS 150, ANSI CLASS 300, ANSI CLASS 600, ANSI CLASS 900, ANSI CLASS 1500, ANSI CLASS 2500, ANSI CLASS 2690.

SIZES

8MM NB	.25 INCH (¼ INCH)	175MM NB	7 INCH
10MM NB	.375 INCH (¾ INCH)	200MM NB	8 INCH
15MM NB	.5 INCH (½ INCH)	250MM NB	9 INCH
20MM NB	.75 INCH (¾ INCH)	300MM NB	10 INCH
25MM NB	1 INCH	350MM NB	12 INCH
32MM NB	1.25 INCH (1¼ INCH)	375MM NB	14 INCH
40MM NB	1.5 INCH (1½ INCH)	400MM NB	16 INCH
50MM NB	2 INCH	450MM NB	18 INCH
65MM NB	2.5 INCH (2½ INCH)	600MM NB	22 INCH
80MM NB	3 INCH	700MM NB	26 INCH
100MM NB	4 INCH	750MM NB	30 INCH
125MM NB	5 INCH	800MM NB	36 INCH
150MM NB	6 INCH	900MM NB	40 INCH

WE CAN SUPPLY ET, EZ, ED EW (etc). EQUIVALENT STYLE CONTROL VALVES IN SHORT DELIVERY. WE ARE SOLE AUSTRALASIAN AGENTS FOR CVS CONTROL VALVES - CANADA. WE CAN ALSO SUPPLY NON GENUINE SPARES TO SUIT FISHER™. THIS LIST INCLUDES ANSI CLASS 150, 300, 600, 1500 CONTROL VALVES IN 1 INCH TO 18 INCH, FLANGED, WAFER & WELD END.

www.globalsupplyline.com.au

TYPE	SIZE		RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
	MM	INCH							

TYPE	SIZE		RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
	MM	INCH							

THIS LIST INCLUDES ANSI CLASS 150, 300, 600, 1500 CONTROL VALVES IN 1 INCH TO 18 INCH, FLANGED WAFER AND WELD END