

PLUG VALVES



TYPE	SIZE MM INCH	RATING	CL. /PS	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
PLUG	15 1/2	800	CL.	NPT	APV	PRESS BAL REG LO FS NACE	A105	LUBR F6A+ENP PLUG	40
PLUG	15 1/2	1500	CL.	NPT	APV	PRESS BAL REG LO FS NACE	A105	LUBR F6+ENP PLUG	10
PLUG	20 3/4	150	CL.	RFSF	APV	STD TAPERED REG LO FS	WCB	LUBR F6 PLUG	3
PLUG	20 3/4	600	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6 PLUG	2
PLUG	20 3/4	600	CL.	BW160	APV	STD TAPERED REG LO FS NACE	A105	LUBR F6 PLUG	10
PLUG	20 3/4	800	CL.	NPT	APV	PRESS BAL REG LO FS NACE	A105N	LUBR F6+ENP HF PLUG	18
PLUG	20 3/4	1500	CL.	NPT	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6+ENP HF PLUG	9
PLUG	25 1	150	CL.	RFSF	GALLI & CASSIN	SLEEVED TAPERED SHORT LO	CF8M	PTFE SLEEVE 316 PLUG	3
PLUG	25 1	150	CL.	RFSF	APV	PRESS BAL REG/SHORT LO FS NACE (WCB/WCC/LCB/DU,	LCC	LUBR 316+ENP HF PLUG	6
PLUG	25 1	150	CL.	RFSF	APV	PRESS BAL REG/SHORT LO FS NACE (WCB/WCC/LCB/DU,	LCC	LUBR 316+ENP HF PLUG	4
PLUG	25 1	150	CL.	RFSF	APV	PRESS BAL REG/SHORT LO FS NACE	WCC	LUBR 316 PLUG	4
PLUG	25 1	150	CL.	RFSF	GALLI & CASSIN	PRESS BAL REG/SHORT LO FS NACE	WCC	LUBR F6A+PTFE PLUG	16
PLUG	25 1	300	CL.	RFSF	APV	PRESS BAL SHORT LO FS NACE (WCB/WCC/LCB/DUAL)	LCC	LUBR 316 PLUG	4
PLUG	25 1	300	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6A+ENP PLUG	7
PLUG	25 1	300	CL.	RFSF	APV	STD TAPERED SHORT LO FS NACE	WCB	LUBR F6A PLUG	8
PLUG	25 1	600	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	LCC	LUBR 316+ENP PLUG	30
PLUG	25 1	600	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6A+ENP HF PLUG	30
PLUG	25 1	600	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCC	LUBR F6A+ENP HF PLUG	33
PLUG	25 1	600	CL.	RFSF	GALLI & CASSIN	PRESS BAL REG LO FS NACE	WCC	LUBR F6+PTFE PLUG	60
PLUG	25 1	800	CL.	NPT	APV	PRESS BAL REG LO FS NACE	LCC	LUBR F6 PLUG	20
PLUG	25 1	800	CL.	NPT	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6A+ENP HF PLUG	16
PLUG	25 1	900	CL.	NPT	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6 PLUG	18
PLUG	25 1	1500	CL.	NPT	APV	PRESS BAL REG LO FS NACE	A105N	LUBR F6+ENP PLUG	15
PLUG	25 1	1500	CL.	NPT	APV	PRESS BAL REG LO FS NACE	LCC	LUBR 316 PLUG	6
PLUG	25 1	1500	CL.	RTJUC	APV	PRESS BAL REG LO FS NACE	LCC	LUBR F6A+ENP PLUG	36
PLUG	25 1	1500	CL.	RTJUC	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LCC	LUBR ENP+PTFE PLUG	25
PLUG	25 1	1500	CL.	NPT	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LF2	LUBR ENP+PTFE PLUG	25
PLUG	25 1	1500	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6A PLUG	20
PLUG	25 1	1500	CL.	RTJUC	APV	PRESS BAL REG LO FS NACE	WCC	LUBR F6+ENP PLUG	10
PLUG	25 1	2500	CL.	NPT	APV	PRESS BAL REG LO FS NACE	WCB	LUBR ENP PLUG	1
PLUG	40 1 1/2	150	CL.	RFSF	DURCO	SLEEVED TAPERED REG LO	316	PTFE SLEEVE 316 PLUG	2
PLUG	40 1 1/2	150	CL.	RFSF	TUFLINE	SLEEVED TAPERED REG LO	A20	PTFE SLEEVE A20 PLUG	2
PLUG	40 1 1/2	150	CL.	RFSF	TUFLINE	SLEEVED TAPERED REG LO	DI	PTFE SLEEVE DI PLUG	6
PLUG	40 1 1/2	300	CL.	UNDRILLRF	APV	STD TAPERED REG LO FS	WCB	LUBR F6 PLUG	7
PLUG	40 1 1/2	600	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	LCC	LUBR PLUG+ENP+PTFE	3
PLUG	40 1 1/2	600	CL.	RFSF	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LCC	LUBR PLUG+ENP+PTFE	3
PLUG	40 1 1/2	600	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCC	LUBR F6 PLUG+ENP/NI	6
PLUG	40 1 1/2	600	CL.	RFSF	GALLI & CASSIN	PRESS BAL REG LO FS NACE	WCC	LUBR F6 PLUG+ENP+PTFE	2
PLUG	40 1 1/2	800	CL.	NPT	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LCC	LUBR F6 PLUG+ENP+PTFE	6
PLUG	40 1 1/2	800	CL.	NPT	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6 PLUG	7
PLUG	40 1 1/2	1500	CL.	RFSF	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LCC	LUBR ENP+PTFE PLUG	2
PLUG	40 1 1/2	1500	CL.	RTJUC	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LCC	LUBR ENP+PTFE PLUG	3
PLUG	40 1 1/2	1500	CL.	NPT	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LF2	LUBR LF2 ENP+PTFE PLUG	6
PLUG	40 1 1/2	1500	CL.	NPT	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6 PLUG+ENP+PTFE	7
PLUG	40 1 1/2	1500	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6+ENP/ENP PLUG	4
PLUG	40 1 1/2	2500	CL.	NPT	APV	PRESS BAL REG LO FS NACE	LCB	LUBR F6 PLUG	1
PLUG	40 1 1/2	2500	CL.	NPT	APV	PRESS BAL REG LO FS NACE	LCC	LUBR 316 PLUG+ENP/NI	1
PLUG	50 2	150	CL.	RFSF	APV	SLEEVED TAPERED REG LO	CF8M	PTFE SLEEVE 316 PLUG	4
PLUG	50 2	150	CL.	RFSF	APV	LINED TAPER REG LO	WCB	PTFE LINED PTFE PLUG	2
PLUG	50 2	150	CL.	RFSF	APV	PRESS BAL SHORT LO FS NACE	WCB	LUBR F6 ENP PLUG	20
PLUG	50 2	150	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6 ENP PLUG	16
PLUG	50 2	150	CL.	RFSF	APV	STD TAPERED SHORT LO FS	WCB	LUBR F6A+ENP PLUG	11
PLUG	50 2	150	CL.	RFSF	GALLI & CASSIN	PRESS BAL SHORT LO FS NACE	WCC	LUBR F6+ENP+PTFE PLUG	16
PLUG	50 2	300	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCB	LUBR ENP PLUG	5
PLUG	50 2	300	CL.	RFSF	APV	PRESS BAL SHORT LO FS NACE	WCC	LUBR F6+ENP PLUG	10
PLUG	50 2	300	CL.	RFSF	GALLI & CASSIN	PRESS BAL SHORT REG (SAME) LO FS NACE	WCC	LUBR F6+ENP+PTFE PLUG	6
PLUG	50 2	600	CL.	RFSF	APV	PRESS BAL REG LO FS NACE	LCC	LUBR F6+ENP+PTFE PLUG	22

PLUG VALVES



TYPE	SIZE MM INCH	RATING	CL. /PS	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
PLUG	50	2	600 CL.	RFSF	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LCC	LUBR LCC+ENP+PTFE	20
PLUG	50	2	600 CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6+ENP PLUG	26
PLUG	50	2	600 CL.	RTJUC	APV	PRESS BAL REG LO FS NACE	WCC	LUBR WCC+ENP PLUG	30
PLUG	50	2	600 CL.	RFSF	GALLI & CASSIN	PRESS BAL REG LO FS NACE	WCC	LUBR LCC+ENP+PTFE PLUG	60
PLUG	50	2	600 CL.	RFXBW80	GALLI & CASSIN	PRESS BAL REG LO FS NACE	WCC	LUBR ENP+PTFE PLUG	26
PLUG	50	2	800 CL.	NPT	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6A PLUG	3
PLUG	50	2	900 CL.	NPT	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6A PLUG	5
PLUG	50	2	1500 CL.	RTJUC	APV	PRESS BAL REG LO FS NACE	LCC	LUBR F6+ENP PLUG	21
PLUG	50	2	1500 CL.	RTJUC	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LCC	LUBR ENP+PTFE PLUG	20
PLUG	50	2	1500 CL.	RTJUC	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LCC	LUBR ENP+PTFE PLUG	20
PLUG	50	2	1500 CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCC	LUBR F6A+ENP PLUG	20
PLUG	50	2	2500 CL.	RTJ	APV	PRESS BAL REG LO FS NACE	LCC	LUBR F6 PLUG	2
PLUG	50	2	2500 CL.	RTJ	APV	PRESS BAL REG LO FS NACE	LCC	LUBR F6 PLUG	2
PLUG	50	2	2500 CL.	NPT	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6 PLUG	2
PLUG	50	2	2500 CL.	BWXXS	APV	PRESS BAL REG LO FS NACE	WCB	LUBR F6 PLUG	1
PLUG	50	2	5000 PSI	NPT	APV	FP OILFIELD TYPE SP50-TF LO NACE	4130	VITON SEAT 410 PLUG	2
PLUG	50	2	10000 PSI	NPT	APV	FP OILFIELD TYPE SP100-TF LO NACE	4130	VITON SEAT 410 PLUG	2
PLUG	50	2	10000 PSI	WECO 1502	APV	FP OILFIELD TYPE (HALLIBURTON) LO NACE 2 1/16" POR	4130	VITON SEAT 410 PLUG	3
PLUG	50	2	15000 PSI	WECO 1502	APV	FP OILFIELD TYPE (HALLIBURTON) LO NACE 1" PORT	4130	VITON SEAT 410 PLUG	3
PLUG	50	2	15000 PSI	WECO 1502	APV	FP OILFIELD TYPE (HALLIBURTON) LO NACE 1.5" PORT	4130	VITON SEAT 410 PLUG	3
PLUG	80	3	150 CL.	RF	APV	SLEEVED 3 WAY T PORT FS	WCB	PTFE SLEEVE 316 PLUG GRV	1
PLUG	80	3	150 CL.	RFSF	APV	SLEEVED TAPERED REG LO	WCB	PTFE SLEEVE 316 PLUG	4
PLUG	80	3	150 CL.	RFSF	APV	PRESS BAL REG LO FS	WCB	LUBR F6 PLUG	6
PLUG	80	3	150 CL.	RFSF	APV	STD TAPER SHORT LO FS NACE TOP ENTRY	WCB	LUBR F6 PLUG	14
PLUG	80	3	150 CL.	RFSF	GALLI & CASSIN	STD TAPER REG LO FS NACE	WCC	LUBR F6 PLUG	9
PLUG	80	3	300 CL.	RFSF	TUFLIN	SLEEVED TAPERED REG LO	CF8M	PTFE SLEEVE 316 PLUG	1
PLUG	80	3	300 CL.	RFSF	APV	STD TAPER SHORT LO FS NACE	WCB	LUBR F6+ENP PLUG	8
PLUG	80	3	300 CL.	RFSF	APV	STD TAPER REG LO FS NACE	WCB	LUBR F6+ENP PLUG	7
PLUG	80	3	300 CL.	RFSF	APV	STD TAPER SHORT/ REG LO FS NACE	WCC	LUBR F6+ENP+PTFE PLUG	7
PLUG	80	3	600 CL.	RFSF	APV	PRESS BAL REG LO FS NACE	LCC	LUBR ENP PLUG	25
PLUG	80	3	600 CL.	RFSF	GALLI & CASSIN	PRESS BAL REG LO FS NACE	LCC	LUBR ENP+LOMU PLUG	36
PLUG	80	3	600 CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCC	LUBR F6A+ENP PLUG	14
PLUG	80	3	600 CL.	RFSF	VALVITALIA	PRESS BAL REG LO FS NACE	WCC	LUBR WCC+ENP+PTFE PLUG	14
PLUG	80	3	900 CL.	RTJUC	APV	PRESS BAL REG LO FS NACE	WCC	LUBR ENP+PTFE PLUG	3
PLUG	80	3	900 CL.	RTJUC	VALVITALIA	PRESS BAL REG LO FS NACE	WCC	LUBR ENP+PTFE PLUG	5
PLUG	80	3	1500 CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCB	LUBR ENP PLUG	2
PLUG	80	3	1500 CL.	RTJ	APV	PRESS BAL REG LO FS NACE	WCB	LUBR ENP PLUG	2
PLUG	80	3	1500 CL.	RTJUC	VALVITALIA	PRESS BAL REG LO FS NACE	WCC	LUBR ENP+PTFE PLUG	2
PLUG	80	3	TABLE F	FF	AUDCO	STD TAPERED REG LO	CI	LUBR DI PLUG	6
PLUG	100	4	125 CL.	UNDRILLFF	AUDCO	MS 3WAY L PORT LO TRANSFLOW	CI	METAL SEAT DI PLUG	1
PLUG	100	4	150 CL.	RFSF	GALLI & CASSIN	SLEEVED TAPER SHORT LO	CF8M	PTFE SLEEVE 316 PLUG	3
PLUG	100	4	150 CL.	RF	TUFLIN	SLEEVED 3WAY L PORT AX LO	DI	PTFE SLEEVE 316 PLUG	1
PLUG	100	4	150 CL.	RFSF	APV	LINED TAPER SHORT LO	DIPTFE	PFA LINED PTFE PLUG	1
PLUG	100	4	150 CL.	RFSF	APV	PRESS BAL REG LO FS	F51	LUBR F51 PLUG	4
PLUG	100	4	150 CL.	RF	3Z	LINED 3WAY L PORT LO	WCB	NEOPRENE LINED	1
PLUG	100	4	150 CL.	RFSF	APV	SLEEVED TAPER SHORT LO	WCB	PTFE SLEEVE PTFE PLUG	2
PLUG	100	4	150 CL.	RFSF	APV	STD TAPERED SHORT LO FS NACE	WCB	LUBR F6 PLUG	6
PLUG	100	4	150 CL.	RFSF	APV	PRESS BAL SHORT LO FS	WCB	LUBR F6 PLUG	6
PLUG	100	4	300 CL.	RFSF	APV	PRESS BAL SHORT/ REG LO FS (WCB DUAL)	WCC	LUBR F6+ENP+PTFE PLUG	14
PLUG	100	4	300 CL.	RFSF	APV	PRESS BAL SHORT REG GO FS (WCB DUAL)	WCC	LUBR F6+ENP PLUG	8
PLUG	100	4	600 CL.	RTJUC	APV	PRESS BAL REG GO FS NACE	LCC	LUBR LCC+ENP PLUG	4
PLUG	100	4	600 CL.	RFSF	GALLI & CASSIN	PRESS BAL REG GO FS NACE	LCC	LUBR LCC+ENP+PTFE PLUG	8
PLUG	100	4	600 CL.	RFSF	GALLI & CASSIN	PRESS BAL REG GO FS NACE	LCC	LUBR LCC+ENP+PTFE PLUG	6
PLUG	100	4	600 CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCB	LUBR ENP PLUG	15
PLUG	100	4	600 CL.	RFSF	GALLI & CASSIN	PRESS BAL REG GO FS NACE	WCC	LUBR WCC+ENP+PTFE PLUG	12
PLUG	100	4	900 CL.	RTJUC	VALVITALIA	PRESS BAL REG LO FS NACE	LCC	LUBR LCC+PTFE PLUG	5
PLUG	100	4	900 CL.	RTJUC	APV	PRESS BAL REG LO FS NACE	WCB	LUBR ENP PLUG	9

PLUG VALVES



TYPE	SIZE MM INCH	RATING	CL. /PS	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
PLUG	100	4	900 CL.	RFSF	APV	PRESS BAL REG GO FS NACE	WCC	LUBR LCC+ENP PLUG	6
PLUG	100	4	1500 CL.	RTJUC	APV	PRESS BAL REG GO FS NACE	WCB	LUBR ENP PLUG	3
PLUG	100	4	1500 CL.	RTJUC	VALVITALIA	PRESS BAL REG GO FS NACE	WCC	LUBR ENP+PTFE PLUG	4
PLUG	100	4	2500 CL.	RTJ	APV	PRESS BAL REG GO FS NACE	CF8M	LUBR 316 PLUG	1
PLUG	100	4	2500 CL.	RTJ	APV	PRESS BAL REG GO FS NACE	LCC	LUBR 17-4PH SS PLUG	2
PLUG	150	6	150 CL.	RFSF	APV	SLEEVED TAPER REG LO	CF8M	PTFE SLEEVE 316 PLUG	1
PLUG	150	6	150 CL.	RFSF	APV	SLEEVED TAPER SHORT LO	WCB	PTFE SLEEVE 316 PLUG	1
PLUG	150	6	150 CL.	RFSF	APV	PRESS BAL SHORT GO FS NACE	WCC	LUBR F6+ENP PLUG	5
PLUG	150	6	150 CL.	RFSF	GALLI & CASSIN	PRESS BAL REG GO FS NACE	WCC	LUBR 410+PTFE PLUG	6
PLUG	150	6	300 CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCC	LUBR F6+ENP PLUG	4
PLUG	150	6	300 CL.	RFSF	APV	PRESS BAL SHORT LO FS NACE	WCC	LUBR F6+ENP PLUG	4
PLUG	150	6	300 CL.	RFSF	APV	PRESS BAL REG LO FS NACE	WCC	LUBR F6+ENP PLUG	3
PLUG	150	6	300 CL.	RFSF	GALLI & CASSIN	PRESS BAL REG LO FS NACE	WCC	LUBR ENP PLUG	3
PLUG	150	6	600 CL.	RFSF	APV	PRESS BAL REG GO FS NACE	LCC	LUBR LCC+ENP PLUG	1
PLUG	150	6	600 CL.	RFSF	APV	PRESS BAL REG GO FS NACE	WCC	LUBR WCC+ENP+PTFE PLUG	6
PLUG	150	6	600 CL.	RFSF	GALLI & CASSIN	PRESS BAL REG GO FS NACE	WCC	LUBR ENP+PTFE PLUG	5
PLUG	150	6	900 CL.	RTJUC	APV	PRESS BAL REG GO FS NACE	LCC	LUBR LCC+ENP PLUG	1
PLUG	150	6	900 CL.	RTJUC	VALVITALIA	PRESS BAL REG GO FS NACE	WCC	LUBR 4140+ENP+PTFE PLUG	2
PLUG	150	6	1500 CL.	RFSF	APV	PRESS BAL REG GO FS NACE	WCB	LUBR ENP PLUG	2
PLUG	150	6	1500 CL.	RTJUC	VALVITALIA	PRESS BAL REG GO FS NACE	WCB	LUBR ENP+PTFE PLUG	1
PLUG	150	6	1500 CL.	RTJ	APV	PRESS BAL REG GO FS NACE	WCC	LUBR ENP CA15+ENP PLUG	1
PLUG	150	6	1500 CL.	RTJUC	APV	PRESS BAL REG GO FS NACE	WCC	LUBR LCC+ENP PLUG	3
PLUG	200	8	150 CL.	RFSF	APV	PRESS BAL REG GO FS NACE	WCB	LUBR ENP PLUG	1
PLUG	200	8	150 CL.	RFSF	AUDCO	STD TAPERED SHORT GO FS	WCB	LUBR ENP PLUG	1
PLUG	200	8	150 CL.	RFSF	AUDCO	SLEEVED TAPERED GO	WCB	PTFE SLEEVE 316 PLUG	1
PLUG	200	8	300 CL.	RFSF	APV	PRESS BAL VENTURI GO FS NACE	WCB	LUBR F6 PLUG	1
PLUG	200	8	300 CL.	RFSF	APV	PRESS BAL REG GO FS NACE	WCC	LUBR F6 PLUG+ENP	3
PLUG	200	8	300 CL.	RFSF	APV	PRESS BAL SHORT/VENTURE FS NACE	WCC	LUBR F6A PLUG+ENP	1
PLUG	200	8	600 CL.	RFSF	VALVITALIA	PRESS BAL REG GO FS NACE	WCC	LUBR 4140+ENP+PTFE PLUG	2
PLUG	200	8	900 CL.	RTJUC	VALVITALIA	PRESS BAL REG GO FS NACE	WCB	LUBR 4140+ENP+PTFE PLUG	1
PLUG	200	8	1500 CL.	RFSF	G&C	SLEEVED TAPER SHORT GO 067	CF8M	PTFE SLEEVE 316 PLUG	1
PLUG	200	8	TABLE D	FF	APV	STD TAPERED VENTURI LO	316	LUBR 316 PLUG	2
PLUG	250	10	600 CL.	RFSF	APV	PRESS BAL GO NACE	WCB	LUBR ENP PLUG	2
PLUG	300	12	600 CL.	RFSF	APV	PRESS BAL REG GO FS NACE	WCB	LUBR 4140+ENP+PTFE PLUG	1
PLUG	300	12	600 CL.	RTJUC	VALVITALIA	PRESS BAL REG GO FS NACE	WCB	LUBR 4140+ENP+PTFE PLUG	1
PLUG	300	12	600 CL.	RFSF	APV	PRESS BAL REG GO FS NACE	WCC	LUBR 4140 CA15+ENP PLUG	1
PLUG	500	20	600 CL.	RFSF	APV	PRESS BAL REG GO FS NACE	WCB	LUBR ENP PLUG	1

ABBREVIATIONS

BB=BOLTED BONNET, **BRZ**=BRONZE, **CI**=CAST IRON, **CL**=ANSI/ASME CLASS, **CS**=CARBON STEEL, **ENP**=ELECTROLESS NICKLE PLATED .003" 67 RC (900VHN) HARDNESS, **F TO F**=FACE TO FACE DIMENSION, **FF**=FLAT FACE, **FP**=FULL PORT, **FS**=FIRESAFE, **GRP**=GRAPHITE, **LO**=LEVER OPERATED, **LUBR**=LUBRICATED, **NI**=NITRIDED HARD FACED, **PKG**=PACKING, **PRESS BAL**=PRESSURE BALANCED INVERTED PLUG, **REG**=REGULAR PATTERN, **RF**=RAISED FACE CONCENTRIC SERRATED, **RTJ**=RING JOINT, **RTJUC**=AS PER RTJ SPECIFICATIONS BUT NO RING GROOVE, CAN BE SUPPLIED RTJ OR RAISED FACE, **SF**=SMOOTH FINISH 125 TO 250 AARH (3.2 TO 6.3 RA), **SHORT**=SHORT PATTERN, **SR**=SOFT RUBBER, **SS**=STAINLESS STEEL, **STD**=STANDARD TAPERED TYPE (NOT PRESSURE BALANCED), **ST**=STEM, **TAPER**=TAPERED PLUG

GLOBAL SUPPLY LINE PLUG VALVES LUBRICATED

IN STOCK AS SHOWN ABOVE API6D AND API599 FIRESAFE, PRESSURE BALANCED (DYNAMIC BALANCED) AUDCO® AND NORDSTROM® STYLE, INVERTED PLUG, TAPERED PLUG, REGULAR PATTERN, SHORT PATTERN AND VENTURI PATTERN, (AND TRUE FULL CIRCULAR PORT FOR SLURRY SERVICE). WE ARE THE WORLD'S LARGEST STOCKIST, OUR RANGE IS UNSURPASSED. ALSO AUDCO® STANDARD STYLE TAPER TYPE LUBRICATED PLUG VALVE.

ANSI END CONNECTIONS: - ANSI RTJ (RING JOINT) FLANGED, SOCKETWELD, ANSI RF FLANGED (SMOOTH FINISH), LONG EXTENDED PUP ENDS, NPT, BSP, PBE, BUTTWELD STANDARD WEIGHT.

BUTTWELD SCHEDULE 40, BUTTWELD SCHEDULE 80, BUTTWELD SCHEDULE 160, BUTTWELD SCHEDULE XXS.

NACE MR-01-75, H2S SERVICE.

BOLTS: - B7M, L7M, B8, B8M.

OPERATOR: - LOCKABLE, GEN-OPERATED, EXTENDED BONNET, EXTENDED STEM, CHAIN WHEEL OPERATED, PNEUMATIC ACTUATOR, ELECTRIC ACTUATOR, ESD.
DIMENSIONS TO ANSI B16.1. END CONNECTIONS TO ANSI B16.34.

ANSI CLASS 125, ANSI CLASS 150, ANSI CLASS 300, ANSI CLASS 600, ANSI CLASS 900, ANSI CLASS 1500, ANSI CLASS 2500.

PLUG VALVES



TYPE	SIZE	RATING	CL.	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
MM	INCH		/PS						

SIZES

8MM NB	.25 INCH (¼ INCH)				175MM NB		7 INCH		
10MM NB	.375 INCH (⅜ INCH)				200MM NB		8 INCH		
15MM NB	.5 INCH (½ INCH)				250MM NB		9 INCH		
20MM NB	.75 INCH (¾ INCH)				300MM NB		10 INCH		
25MM NB	1 INCH				350MM NB		12 INCH		
32MM NB	1.25 INCH (1¼ INCH)				375MM NB		14 INCH		
40MM NB	1.5 INCH (1½ INCH)				400MM NB		16 INCH		
50MM NB	2 INCH				450MM NB		18 INCH		
65MM NB	2.5 INCH (2½ INCH)				600MM NB		22 INCH		
80MM NB	3 INCH				700MM NB		26 INCH		
100MM NB	4 INCH				750MM NB		30 INCH		
125MM NB	5 INCH				800MM NB		36 INCH		
150MM NB	6 INCH				900MM NB		40 INCH		

PLUG VALVES PTFE/PFA/TEFLON SLEEVED AND LINED, NON-LUBRICATED, 2 WAY AND 3 WAY, TAPER STYLE, SHORT PATTERN, REGULAR PATTERN.

OTHER END CONNECTIONS: - FLANGED BS TABLE D (AS TABLE D), FLANGED BS TABLE E (AS TABLE E), FLANGED BS TABLE F (AS TABLE F), FLANGED BS TABLE H (AS TABLE H), FLANGED BS TABLE J (AS TABLE J), FLANGED BS TABLE K (AS TABLE K), FLANGED BS TABLE R (AS TABLE R).
FLANGED: - PN16, PN10, PN25, JIS10, DIN10, DIN16, ANSI 125 CLASS, ANSI 150 CLASS, ANSI 300 CLASS.

NACE MR-01-75, H2S SERVICE.

SIZES

8MM NB	.25 INCH (¼ INCH)				175MM NB		7 INCH		
10MM NB	.375 INCH (⅜ INCH)				200MM NB		8 INCH		
15MM NB	.5 INCH (½ INCH)				250MM NB		9 INCH		
20MM NB	.75 INCH (¾ INCH)				300MM NB		10 INCH		
25MM NB	1 INCH				350MM NB		12 INCH		
32MM NB	1.25 INCH (1¼ INCH)				375MM NB		14 INCH		
40MM NB	1.5 INCH (1½ INCH)				400MM NB		16 INCH		
50MM NB	2 INCH				450MM NB		18 INCH		

www.globalsupplyline.com.au

Plug-Valve-Stock-Lubricated.xlsx

PLUG VALVES



TYPE	SIZE		RATING	CL. /PS	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
	MM	INCH								

THIS LIST INCLUDES:- PLUG VALVES LUBRICATED, SLEEVED & LINED IN THE FOLLOWING NB:- 6MM, 8MM, 10MM, 15MM, 20MM, 25MM, 32MM, 40MM, 50MM, 65MM, 80MM, 100MM, 125MM, 150MM, 200MM, 250MM, 300MM, 350MM, 400MM, 500MM, 600MM, 750MM, 900MM. (1 INCH, 1.5 INCH, 2 INCH, 3 INCH, 4 INCH, 6 INCH, 8 INCH, 10 INCH, 12 INCH, 14 INCH, 16 INCH ETC). IN ANSI 150 CLASS, 300 CLASS, 600 CLASS, 800 CLASS, 900 CLASS, 1500 CLASS AND API 3000 PSI, API 5000 PSI.

TYPES OF PLUG VALVES:- LUBRICATED, STANDARD TAPERED AND DYNAMIC PRESSURE BALANCED INVERTED PLUG VALVE, LINED AND SLEEVED PLUG VALVE

STANDARDS FOR PLUG VALVES:- TO API6D (ISO 14313), API599

DIMENSIONS FOR PLUG VALVES:- TO ASME/ANSI B16.10

DESIGN PRESSURE/TEMP FOR PLUG VALVES:- ASME/ANSI B16.34

END CONNECTIONS FOR PLUG VALVES:- ASME/ANSI B16.5, ASME/ANSI B16.1, ASME/ANSI B16.25, BS21 (TO SUIT ASME B36.10M PIPE SIZES)

BODY MATERIALS:- ASTM A105N, A216 WCB, A216 LCB, ASTM A350 LF2, ASTM A351 CF8, ASTM A351 CF8M, DUPLEX, SUPER DUPLEX, AUSTENITIC, ASTM A216 GR WCB, ASTM A351 CF8M A216 GR LCB, ASTM A182 F51, ALLOY 20-CN7M, ASTM A182 F316L, ASTM A182 316, ASTM A182 F304L, ASTM A182 F304

END TYPES FOR PLUG VALVES:- NPT THREADED, BUTTWELD, SOCKETWELD, FLANGED ANSI RF (SMOOTH FINISH & STOCK FINISH), FLANGED ANSI RING JOINT (RING JOINT), FLANGED AS TABLE D,E,F,H,J., FLANGED BS TABLE D,E,F,H,J., GRAYLOCK ENDS.

TRIM TYPES FOR PLUG VALVES:- ENP .003 INCH (ELETROLESS NICKLE PLATED), CR13SS (AISI 410 SS) 410 SS, (F6, F6A), ASTM A182 316L, ASTM A182 316, ASTM A182 304L, ASTM A182 304, ALLOY 20, STELLITE HF (HARD FACED), NACE MR-01-75

FIRESAFE STANDARDS FOR PLUG VALVES:- APV ARE FIRESAFE CERTIFIED TO API607 5TH EDITION/ API6FA 3RD EDITION GALI CASSINA AND VALVITALIA ARE ALSO FIRESAFE CERTIFIED

CERTIFICATION:- MATERIAL & TEST CERTIFICATION TO EN10204-3.1 (DIN 500493.1) (FORMERLY 50049.3.1B)

NDT:- ALL BUTTWELD END ARE DYE PENETRANT TESTED TO MSS-SP-73

PLUG VALVES



TYPE	SIZE MM INCH	RATING	CL. /PS	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
------	-----------------	--------	------------	------	-------	-------------	------	------	-----

THIS LIST INCLUDES:- PLUG VALVES LUBRICATED, SLEEVED & LINED IN THE FOLLOWING NB:- 6MM, 8MM, 10MM, 15MM, 20MM, 25MM, 32MM, 40MM, 50MM, 65MM, 80MM, 100MM, 125MM, 150MM, 200MM, 250MM, 300MM, 350MM, 400MM, 500MM, 600MM, 750MM, 900MM. (1 INCH, 1.5 INCH, 2 INCH, 3 INCH, 4 INCH, 6 INCH, 8 INCH, 10 INCH, 12 INCH, 14 INCH, 16 INCH ETC). IN ANSI 150 CLASS, 300 CLASS, 600 CLASS, 800 CLASS, 900 CLASS, 1500 CLASS AND API 3000 PSI, API 5000 PSI.

TYPES OF PLUG VALVES:- LUBRICATED, STANDARD TAPERED AND DYNAMIC PRESSURE BALANCED INVERTED PLUG VALVE, LINED AND SLEEVED PLUG VALVE

STANDARDS FOR PLUG VALVES:- TO API6D (ISO 14313), API599

DIMENSIONS FOR PLUG VALVES:- TO ASME/ANSI B16.10

DESIGN PRESSURE/TEMP FOR PLUG VALVES:- ASME/ANSI B16.34

END CONNECTIONS FOR PLUG VALVES:- ASME/ANSI B16.5, ASME/ANSI B16.1, ASME/ANSI B16.25, BS21 (TO SUIT ASME B36.10M PIPE SIZES)

BODY MATERIALS:- ASTM A105N, A216 WCB, A216 LCB, ASTM A350 LF2, ASTM A351 CF8, ASTM A351 CF8M, DUPLEX, SUPER DUPLEX, AUSTENITIC, ASTM A216 GR WCB, ASTM A351 CF8M A216 GR LCB, ASTM A182 F51, ALLOY 20-CN7M, ASTM A182 F316L, ASTM A182 316, ASTM A182 F304L, ASTM A182 F304

END TYPES FOR PLUG VALVES:- NPT THREADED, BUTTWELD, SOCKETWELD, FLANGED ANSI RF (SMOOTH FINISH & STOCK FINISH), FLANGED ANSI RING JOINT (RING JOINT), FLANGED AS TABLE D,E,F,H,J., FLANGED BS TABLE D,E,F,H,J., GRAYLOCK ENDS.

TRIM TYPES FOR PLUG VALVES:- ENP .003 INCH (ELECTROLESS NICKLE PLATED), CR13SS (AISI 410 SS) 410 SS, (F6, F6A), ASTM A182 316L, ASTM A182 316, ASTM A182 304L, ASTM A182 304, ALLOY 20, STELLITE HF (HARD FACED), NACE MR-01-75

FIRESAFE STANDARDS FOR PLUG VALVES:- APV AND HYUNDAI ARE FIRESAFE CERTIFIED TO API607 5TH EDITION/ API6FA 3RD EDITION

CERTIFICATION:- MATERIAL & TEST CERTIFICATION TO EN10204-3.1 (DIN 50049.1) (FORMERLY 50049.3.1B)

NDT:- ALL BUTTWELD END ARE DYE PENETRANT TESTED TO MSS-SP-73

www.globalsupplyline.com.au