

STRAINERS



TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
STRAINER	15	1/2	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 1.0MM MESH	4
STRAINER	15	1/2	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8M	316 0.8MM MESH	4
STRAINER	15	1/2	600 CL.	RFSF	FLOWTURN	Y BB INTEG	A105N	316 0.8MM MESH	2
STRAINER	15	1/2	2000 PSI	BSP	FLOWTURN	Y BB 800CL DUAL 316/316L	316/L	316 0.8MM MESH FULL PORT	20
STRAINER	15	1/2	2000 PSI	NPT	FLOWTURN	Y BB 800CL DUAL 316/316L	316/L	316 0.8MM MESH FULL PORT	30
STRAINER	15	1/2	2000 PSI	NPT	FLOWTURN	Y BB 800CL FULL PORT	A105N	316 0.5/0.8MM MESH	100
STRAINER	15	1/2	2500 CL.	RFSF	FLOWTURN	Y BB INTEG	A105N	316 0.5MM MESH	2
STRAINER	15	1/2	3700 PSI	NPT	FLOWTURN	Y BB 1500CL FULL PORT	316/L	316 0.8MM MESH	15
STRAINER	15	1/2	3700 PSI	NPT	FLOWTURN	Y BB 1500CL FULL PORT	A105N	316 0.8MM MESH	16
STRAINER	15	1/2	6000 PSI	NPT	FLOWTURN	Y BB 2500CL FULL PORT	A105N	316 0.8MM MESH	17
STRAINER	15	1/2	TABLE H	FF	FLOWTURN	Y BB	BRZ	316 0.8MM MESH	1
STRAINER	10	3/8	2000 PSI	NPT	FLOWTURN	Y BB 800CL FULL PORT	316/L	316 0.5MM MESH	10
STRAINER	10	3/8	2000 PSI	NPT	FLOWTURN	Y BB 800CL FULL PORT	A105N	304 0.5MM MESH	10
STRAINER	20	3/4	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 0.8MM MESH	2
STRAINER	20	3/4	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 0.5MM MESH	9
STRAINER	20	3/4	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8M	316 0.8MM MESH	2
STRAINER	20	3/4	600 CL.	RTJUC	FLOWTURN	Y BB INTEG	A105N	316 0.8MM MESH	2
STRAINER	20	3/4	600 CL.	RTJUC	FLOWTURN	Y BB INTEG	CF8M	316 0.8MM MESH	2
STRAINER	20	3/4	2000 PSI	NPT	FLOWTURN	Y BB 800CL FULL PORT	316	316 0.8MM MESH	30
STRAINER	20	3/4	2000 PSI	BSP	FLOWTURN	Y BB 800CL DUAL 316/316L	316/L	316 0.8MM MESH FULL PORT	20
STRAINER	20	3/4	2000 PSI	NPT	FLOWTURN	Y BB 800CL FULL PORT	A105N	304 0.8MM MESH	50
STRAINER	20	3/4	2000 PSI	SW	FLOWTURN	Y BB 800CL FULL PORT	A105N	316 0.8MM MESH	38
STRAINER	20	3/4	3700 PSI	NPT	FLOWTURN	Y BB 1500CL DUAL 316/316L	316/L	316 0.8MM MESH	15
STRAINER	20	3/4	3700 PSI	NPT	FLOWTURN	Y BB 1500CL FULL PORT	A105N	316 0.8MM MESH	16
STRAINER	20	3/4	6000 PSI	NPT	FLOWTURN	Y BB 2500CL FULL PORT	A105N	316 0.8MM MESH	22
STRAINER	25	1	150 CL.	RFSF	FLOWTURN	Y BB INTEG	A105N	316 0.8MM MESH	10
STRAINER	25	1	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 0.5MM MESH	8

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
STRAINER	25	1	300 CL.	RFSF	FLOWTURN	Y BB INTEG	A105N	316 1.5MM MESH	10
STRAINER	25	1	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	A105N	316 1.0MM MESH	10
STRAINER	25	1	300 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 1.5MM MESH	6
STRAINER	25	1	600 CL.	RFSF	FLOWTURN	Y BB INTEG	A105N	316 1.0MM MESH	6
STRAINER	25	1	600 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	A105N	304 1.0MM MESH	6
STRAINER	25	1	600 CL.	RTJUC	FLOWTURN	Y BB INTEG	CF8M	316 0.8MM MESH	2
STRAINER	25	1	800 PSI	BSP	FLOWTURN	Y SB FULL PORT	A105N	304 1.5MM MESH	8
STRAINER	25	1	1000 PSI	BSP	FLOWTURN	Y BB FULL PORT	316	316 1.0MM MESH	30
STRAINER	25	1	1500 CL.	RTJUC	FLOWTURN	Y BB INTEG	A105N	316 1.0MM MESH	3
STRAINER	25	1	1500 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	A105N	316 1.0MM MESH	3
STRAINER	25	1	2000 PSI	NPT	FLOWTURN	Y BB 800CL FULL PORT	316/L	316 0.8MM MESH	30
STRAINER	25	1	2000 PSI	NPT	FLOWTURN	Y BB 800CL FULL PORT	A105N	316 1.5MM MESH	200
STRAINER	25	1	2000 PSI	SW	FLOWTURN	Y BB 800CL FULL PORT	A105N	316 1.5MM MESH	40
STRAINER	25	1	2000 PSI	SW	FLOWTURN	Y BB 800CL DUAL 316/316L	A105N	316 0.5MM MESH FULL PORT	160
STRAINER	25	1	3700 PSI	NPT	FLOWTURN	Y BB 1500CL FULL PORT	316/L	316 0.8MM MESH	10
STRAINER	25	1	3700 PSI	NPT	FLOWTURN	Y BB 1500CL FULL PORT	A105N	316 0.8MM MESH	40
STRAINER	25	1	6000 PSI	NPT	FLOWTURN	Y BB 2500CL FULL PORT	A105N	316 1.0MM MESH	4
STRAINER	25	1	6000 PSI	NPT	FLOWTURN	Y BB 2500CL FULL PORT	A105N	304 0.5MM MESH	9
STRAINER	32	1 1/4	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 .5MM MESH	5
STRAINER	32	1 1/4	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 .5MM MESH	9
STRAINER	32	1 1/4	1000 PSI	BSP	FLOWTURN	Y BB FULL PORT	CF8M	316 1.5MM MESH	2
STRAINER	32	1 1/4	2000 PSI	NPT	FLOWTURN	Y BB 800CL DUAL 316/316L	316/L	304 .5MM MESH FULL PORT	10
STRAINER	32	1 1/4	2000 PSI	NPT	FLOWTURN	Y BB 800CL FULL PORT	A105N	316 .5MM MESH	10
STRAINER	40	1 1/2	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	304 2MM MESH	1
STRAINER	40	1 1/2	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 1.0MM MESH	2
STRAINER	40	1 1/2	150 CL.	RFSF	FLOWTURN	Y BB INTEG 200 F TO F	WCB	316 .5MM MESH	12
STRAINER	40	1 1/2	150 CL.	RFSF	FLOWTURN	Y BB INTEG 165 F TO F	WCB	316 1.6MM MESH	12
STRAINER	40	1 1/2	300 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	316 1.0MM MESH	2
STRAINER	40	1 1/2	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8M	316 0.8MM MESH	3
STRAINER	40	1 1/2	300 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.0MM MESH	4

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
STRAINER	40	1 1/2	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 1.0MM MESH	2
STRAINER	40	1 1/2	500 PSI	NPT	KEKLY	Y SB 250CL	DI	316 0.5 MM MESH	28
STRAINER	40	1 1/2	600 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	A105N	316 1.0MM MESH	1
STRAINER	40	1 1/2	600 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.5MM MESH	4
STRAINER	40	1 1/2	1000 PSI	BSP	FLOWTURN	Y BB FULL PORT	CF8M	316 1.0MM MESH	14
STRAINER	40	1 1/2	1000 PSI	NPT	FLOWTURN	Y BB FULL PORT	CF8M	316 .4MM MESH	10
STRAINER	40	1 1/2	1440 PSI	NPT	FLOWTURN	Y BB 600CL	A20	A20 .8MM MESH	2
STRAINER	40	1 1/2	1500 CL.	RTJUC	FLOWTURN	Y BB INTEG	A105N	304 1.0MM MESH	6
STRAINER	40	1 1/2	2000 PSI	NPT	FLOWTURN	Y BB 800CL DUAL 316/316L	316/L	316 0.8MM MESH FULL PORT	20
STRAINER	40	1 1/2	2000 PSI	BSP	FLOWTURN	Y BB 800CL FULL PORT	A105N	316 1.0MM MESH	20
STRAINER	40	1 1/2	2000 PSI	NPT	FLOWTURN	Y BB 800CL FULL PORT	A105N	316 0.7MM MESH	25
STRAINER	40	1 1/2	2000 PSI	NPT	FLOWTURN	Y BB 800CL FULL PORT	A105N	316 1.5MM MESH	9
STRAINER	40	1 1/2	2000 PSI	SW	FLOWTURN	Y BB 800CL FULL PORT	A105N	316 1.0MM MESH	20
STRAINER	40	1 1/2	2000 PSI	SW	FLOWTURN	Y BB 800CL FULL PORT	A105N	304 0.6MM MESH	30
STRAINER	40	1 1/2	3700 PSI	SW	FLOWTURN	Y BB 1500CL FULL PORT	A105N	316 0.8MM MESH	4
STRAINER	40	1 1/2	3700 PSI	NPT	FLOWTURN	Y BB 1500CL FULL PORT	WCB	316 0.8MM MESH	10
STRAINER	40	1 1/2	6170 PSI	NPT	FLOWTURN	Y BB 2500CL FULL PORT	A105N	316 1.0MM MESH	2
STRAINER	50	2	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	316 1.6MM MESH	6
STRAINER	50	2	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 1.0MM MESH	18
STRAINER	50	2	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8M	316 1.6MM MESH	4
STRAINER	50	2	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.5MM MESH	40
STRAINER	50	2	150 CL.	RFSF	FLOWTURN	BASKET QR INTEG	WCB	316 1.0MM MESH	2
STRAINER	50	2	150 CL.	RFSF	FLOWTURN	BASKET BB INTEG	WCB	316 1.0MM MESH	4
STRAINER	50	2	300 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	304 1.0MM MESH	3
STRAINER	50	2	300 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 1.0MM MESH	10
STRAINER	50	2	300 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 .4MM MESH	3
STRAINER	50	2	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8M	316 1.0MM MESH	6
STRAINER	50	2	300 CL.	RFSF	FLOWTURN	BASKET QR INTEG DUPLEX	WCB	316 2.0MM MESH	1
STRAINER	50	2	300 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.0MM MESH	18
STRAINER	50	2	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 1.0MM MESH	8

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
STRAINER	50	2	300 CL.	UNDRILLRF	FLOWTURN	BASKET BB INTEG	WCB	304 1.5MM MESH	8
STRAINER	50	2	600 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 1.0MM MESH	4
STRAINER	50	2	600 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.5MM MESH	10
STRAINER	50	2	600 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 0.15MM MESH	4
STRAINER	50	2	1000 PSI	NPT	FLOWTURN	Y BB	A105N	316 0.8MM MESH	15
STRAINER	50	2	1000 PSI	BSP	FLOWTURN	Y BB	CF8M	316 0.8MM MESH	20
STRAINER	50	2	1000 PSI	NPT	FLOWTURN	Y BB	CF8M	316 1.5MM MESH	10
STRAINER	50	2	1500 CL.	RTJUC	FLOWTURN	Y BB INTEG	CF8M	316 1.5MM MESH	4
STRAINER	50	2	1500 CL.	RTJUC	FLOWTURN	Y BB INTEG	LCC	316.3MM MESH	3
STRAINER	50	2	1500 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 0.8MM MESH	4
STRAINER	50	2	1500 CL.	RTJ	FLOWTURN	Y BB INTEG	WCB	316 1.5MM MESH	4
STRAINER	50	2	1500 CL.	RTJ	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	6
STRAINER	50	2	1500 CL.	RTJUC	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	6
STRAINER	50	2	1500 CL.	RTJUC	FLOWTURN	Y BB INTEG	WCB	316 1.5MM MESH	7
STRAINER	50	2	2000 PSI	NPT	FLOWTURN	Y BB 800CL DUAL 316/31L	316/L	316 0.4MM MESH	20
STRAINER	50	2	2000 PSI	NPT	FLOWTURN	Y BB 800CL	A105N	316 0.8MM MESH	310
STRAINER	50	2	2000 PSI	NPT	FLOWTURN	Y BB 800CL	A105N	316 0.5MM MESH	300
STRAINER	50	2	2220 PSI	NPT	FLOWTURN	Y BB 900CL	A105N	316 0.4MM MESH	340
STRAINER	50	2	3700 PSI	NPT	FLOWTURN	Y BB 1500CL DUAL 316/316L	316/L	316 0.8MM MESH	1
STRAINER	50	2	3700 PSI	NPT	FLOWTURN	Y BB 1500CL	A105N	316 0.8MM MESH	8
STRAINER	50	2	PN16	UNDRILLRF	AUTOMAC	Y BB PFA LINED	DITFE	PTFE 0.8MM MESH	2
STRAINER	65	2 1/2	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	304 3.0MM MESH	2
STRAINER	65	2 1/2	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8M	316 0.8MM MESH	2
STRAINER	65	2 1/2	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.6MM MESH	12
STRAINER	65	2 1/2	300 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.0MM MESH	4
STRAINER	65	2 1/2	600 PSI	BSP	S-LINE	Y SB	316	316 1.0MM MESH	3
STRAINER	65	2 1/2	600 PSI	NPT	S-LINE	Y SB	316	316 1.0MM MESH	2
STRAINER	65	2 1/2	600 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 0.5MM MESH	1
STRAINER	65	2 1/2	TABLE E	FF	FLOWTURN	Y BB	BRZ	316 0.5MM MESH	1
STRAINER	65	2 1/2	TABLE H	RFSF	FLOWTURN	Y BB	DI	316 1.0MM MESH	1

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
STRAINER	80	3	125 CL.	FF	FLOWTURN	Y BB INTEG	CI	316 2.0MM MESH	5
STRAINER	80	3	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	304 2.0MM MESH	5
STRAINER	80	3	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8	304 0.8MM MESH	2
STRAINER	80	3	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 1.5MM MESH	8
STRAINER	80	3	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8M	316 2.0MM MESH	3
STRAINER	80	3	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.6MM MESH	40
STRAINER	80	3	150 CL.	RFSF	FLOWTURN	BASKET QR INTEG	WCB	316 2.0MM MESH	3
STRAINER	80	3	150 CL.	UNDRILLRF	FLOWTURN	BASKET BB INTEG	WCB	304 1.5MM MESH	5
STRAINER	80	3	300 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	316 2.0MM MESH	2
STRAINER	80	3	300 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 1.5MM MESH	4
STRAINER	80	3	300 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.5MM MESH	12
STRAINER	80	3	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 1.0MM MESH	6
STRAINER	80	3	300 CL.	UNDRILLRF	FLOWTURN	BASKET QR INTEG	WCB	316 1.5MM MESH	1
STRAINER	80	3	600 PSI	BSP	FLOWTURN	Y SCB	316	316 1.0MM MESH	4
STRAINER	80	3	600 PSI	NPT	FLOWTURN	Y SCB	316	316 1.0MM MESH	2
STRAINER	80	3	600 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	8
STRAINER	80	3	600 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.5MM MESH	6
STRAINER	80	3	600 CL.	RFSF	FLOWTURN	Y BB INTEG WCB DUAL CERT	WCC	316 0.8MM MESH	6
STRAINER	80	3	900 CL.	RTJUC	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	1
STRAINER	80	3	900 CL.	RTJUC	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	6
STRAINER	80	3	1500 CL.	RTJUC	FLOWTURN	Y BB INTEG	WCB	316 1.5MM MESH	2
STRAINER	100	4	125 CL.	UNDRILLFF	FLOWTURN	Y BB INTEG	CI	316 2.0MM MESH	2
STRAINER	100	4	150 CL.	RFSF	FLOWTURN	Y BB INTEG	A20	A20 2.0MM MESH	2
STRAINER	100	4	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	304 2.0MM MESH	5
STRAINER	100	4	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8	304 2.0MM MESH	4
STRAINER	100	4	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 2.0MM MESH	6
STRAINER	100	4	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8M	316 2.0MM MESH	4
STRAINER	100	4	150 CL.	RFSF	FLOWTURN	BASKET QR INTEG	WCB	316 1.0MM MESH	3
STRAINER	100	4	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 0.8MM MESH	12
STRAINER	100	4	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.5MM MESH	17

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
STRAINER	100	4	150 CL.	RFSF	FLOWTURN	BASKET BB INTEG	WCB	316 1.5MM MESH	3
STRAINER	100	4	300 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	304 0.8MM MESH	3
STRAINER	100	4	300 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 1.5MM MESH	7
STRAINER	100	4	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8M	316 2.0MM MESH	4
STRAINER	100	4	300 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	9
STRAINER	100	4	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	6
STRAINER	100	4	600 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 1.5MM MESH	4
STRAINER	100	4	600 CL.	RF	FLOWTURN	Y BB INTEG WCB DUAL CERT	WCC	316 10MM MESH	3
STRAINER	100	4	TABLE E	RFSF	FLOWTURN	Y BB INTEG	CF8	316 2.0MM MESH	1
STRAINER	125	5	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	304 2.0MM MESH	4
STRAINER	125	5	300 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 2.5MM MESH	4
STRAINER	125	5	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 2.5MM MESH	4
STRAINER	125	5	PN16	FF	FLOWTURN	Y BB INTEG	CI	304 1.0MM MESH	12
STRAINER	125	5	TABLE E	FF	FLOWTURN	Y BB INTEG	CI	304 1.0MM MESH	11
STRAINER	150	6	125 CL.	FF	FLOWTURN	Y BB INTEG	CI	316 2.0MM MESH	7
STRAINER	150	6	125 CL.	FF	FLOWTURN	BASKET BB INTEG	CI	316 2.0MM MESH	2
STRAINER	150	6	150 CL.	RFSF	FLOWTURN	Y BB ALLOY 20 INTEG	A20	A20 2.0MM MESH	1
STRAINER	150	6	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	316 2.0MM MESH	3
STRAINER	150	6	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8	316 0.4MM MESH	1
STRAINER	150	6	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 2.0MM MESH	6
STRAINER	150	6	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	18
STRAINER	150	6	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	304 0.5MM MESH	6
STRAINER	150	6	150 CL.	UNDRILLFF	FLOWTURN	BASKET BB INTEG	WCB	304 3.0MM MESH	2
STRAINER	150	6	150 CL.	UNDRILLRF	FLOWTURN	BASKET QR INTEG	WCB	304 2.0MM MESH	4
STRAINER	150	6	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	3
STRAINER	150	6	300 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	304 3.0MM MESH	3
STRAINER	150	6	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8M	316 3.0MM MESH	1
STRAINER	150	6	300 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 3.0MM MESH	6
STRAINER	150	6	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 3.0MM MESH	4
STRAINER	150	6	600 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 3.0MM MESH + .25MM OVERLAY	1

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
STRAINER	150	6	600 CL.	RFSF	FLOWTURN	Y BB INTEG WCB DUAL CERT	WCC	316 2.0MM MESH+OVERLAY	3
STRAINER	150	6	600 CL.	RFSF	FLOWTURN	BASKET BB INTEG WCB DUAL CERT	WCC	316 2.0MM MESH+OVERLAY	1
STRAINER	150	6	PN16	UNDRILLRF	FLOWTURN	Y BB INTEG	CI	316 2.0MM MESH	6
STRAINER	150	6	TABLE E	FF	FLOWTURN	Y BB INTEG	CI	316 2.0MM MESH	5
STRAINER	150	6	TABLE H	UNDRILLRF	FLOWTURN	S BB INTEG	BRZ	316 1.0MM MESH	1
STRAINER	200	8	125 CL.	FF	FLOWTURN	Y BB INTEG	CI	304 3.0MM MESH	3
STRAINER	200	8	125 CL.	UNDRILLFF	FLOWTURN	Y BB INTEG	CI	304 3.0MM MESH	1
STRAINER	200	8	150 CL.	RFSF	FLOWTURN	Y BB INTEG	A20	A20 1.5MM MESH	1
STRAINER	200	8	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8	304 2.5MM MESH	3
STRAINER	200	8	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 2.0MM MESH	2
STRAINER	200	8	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 3.0MM MESH	12
STRAINER	200	8	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	4
STRAINER	200	8	150 CL.	BW40	S-LINE	Y BB FABRIC	WPB	304 2.0MM MESH	3
STRAINER	200	8	300 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	9
STRAINER	200	8	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 .5MM MESH	6
STRAINER	200	8	PN16	UNDRILLRF	FLOWTURN	Y BB INTEG	CI	316 2.0MM MESH	6
STRAINER	200	8	PN25	RFSF	FLOWTURN	Y BB INTEG	DI	316 2.0MM MESH	4
STRAINER	200	8	TABLE E	FF	FLOWTURN	Y BB INTEG	CI	304 3.0MM MESH	6
STRAINER	250	10	125 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CI	304 2.0MM MESH	1
STRAINER	250	10	150 CL.	RFSF	FLOWTURN	Y BB INTEG	A20	A20 2.0MM MESH	1
STRAINER	250	10	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	CF8	316 2.5MM MESH	1
STRAINER	250	10	150 CL.	RFSF	FLOWTURN	Y BB INTEG	CF8M	316 2.5MM MESH	2
STRAINER	250	10	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 3.0MM MESH	3
STRAINER	250	10	150 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	4
STRAINER	250	10	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG (WCB DUAL CERT)	WCC	316 2.5MM MESH	4
STRAINER	250	10	TABLE E	FF	FLOWTURN	Y BB INTEG	CI	304 2.0MM MESH	3
STRAINER	300	12	125 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG 762 F TO F	DI	304 2.5MM MESH	2
STRAINER	300	12	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 3.0MM MESH	2
STRAINER	300	12	150 CL.	RFSF	FLOWTURN	Y BB INTEG	WCB	316 .5MM MESH	2
STRAINER	300	12	300 CL.	UNDRILLRF	FLOWTURN	Y BB INTEG	WCB	316 2.0MM MESH	1

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
STRAINER	300	12	TABLE E	FF	FLOWTURN	Y BB INTEG 770/762 F TO F	CI	304 3.0MM MESH	7
STRAINER	350	14	125 CL.	UNDRILLFF	FLOWTURN	Y BB INTEG 780 F TO F	DI	316 3.0MM MESH	1
STRAINER	350	14	TABLE E	FF	FLOWTURN	Y BB INTEG 980 F TO F	DI/CI	316 2.5MM MESH	3
STRAINER	400	16	150 CL.	RFSF	FLOWTURN	914 F TO F	WCB	316 1.4MM MESH	1
STRAINER	400	16	150 CL.	UNDRILLRF	FLOWTURN	914 F TO F	WCB	316 2.5MM MESH	1
STRAINER	400	16	TABLE E	UNDRILLRF	FLOWTURN	Y BB INTEG 914 F TO F	WCB	316 2.5MM MESH	1
STRAINER	450	18	PN16	UNDRILLFF	FLOWTURN	Y BB INTEG SUIT 125# & TABLE E	CI	316 2.5MM MESH	1

ANY STRAINER MESH SIZE CAN BE FITTED IN-HOUSE

ABBREVIATIONS STRAINERS

BB=BOLTED BONNET, **BON**=BONNET, **CL**=ANSI/ASME CLASS, **F TO F**=FACE TO FACE DIMENSION, **FF**=FLAT FACE, **INTEG**=INTEGRAL BODY & FLANGES, **LB**=ANSI CLASS, **QR**=QUICK RELEASE, **RF**=RAISED FACE CONCENTRIC SERRATED, **RTJ**=RING JOINT, **RTJUC**=AS PER RTJ SPECIFICATIONS, NO RING GROOVE CAN BE SUPPLIED RTJ OR RFSF), **SCB**=SCREWED BONNET, **SF**=SMOOTH FINISH 125 TO 250 AARH (3.2 TO 6.3 RA), **SW316**=SPIRAL WOUND GRAPHITE FILLED 316 BONNET GASKET, **Y**=Y TYPE

GLOBAL SUPPLY LINE PRODUCT RANGE STRAINERS

STRAINERS Y TYPE, T-TYPE, BASKET TYPE (BUCKET TYPE), SIMPLEX DUPLEX TYPE.

ANSI END CONNECTIONS:- ANSI RTJ (RING JOINT) FLANGED, SOCKETWELD, ANSI RF FLANGED (SMOOTH FINISH), LONG EXTENDED PUP ENDS, NPT, BSP, PBE, BUTTWELD STANDARD WEIGHT.

BUTTWELD SCHEDULE 40, BUTTWELD SCHEDULE 80, BUTTWELD SCHEDULE 160, BUTTWELD SCHEDULE XXS.

OTHER END CONNECTIONS:- FLANGED BS TABLE D (AS TABLE D), FLANGED BS TABLE E (AS TABLE E), FLANGED BS TABLE F (AS TABLE F), FLANGED BS TABLE H (AS TABLE H), FLANGED BS TABLE J (AS TABLE J), FLANGED BS TABLE K (AS TABLE K), FLANGED BS TABLE R (AS TABLE R).
 FLANGED: - PN16, PN10, PN25, JIS10, DIN10, DIN16, ANSI 125 CLASS, ANSI 150 CLASS, ANSI 300 CLASS.
 NACE MR-01-75, H2S SERVICE.

GLOBAL SUPPLY LINE ENGINEERING CAN CHANGE OVER BASKET MESH, MODIFY CONNECTIONS OR FABRICATE COMPLETE STRAINERS IN HOUSE

[Click here](#) for our online calculator used to calculate open area % of punched perforated strainer mesh and woven wire cloth.

(links to our new webscreen link <https://www.australianpipelinevalve.com.au/Calculator.aspx>)

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
------	----	-----------	--------	------	-------	-------------	------	------	-----

SIZES

8MM NB	.25 INCH (¼ INCH)	175MM NB	7 INCH
10MM NB	.375 INCH (3/8 INCH)	200MM NB	8 INCH
15MM NB	.5 INCH (½ INCH)	250MM NB	9 INCH
20MM NB	.75 INCH (¾ INCH)	300MM NB	10 INCH
25MM NB	1 INCH	350MM NB	12 INCH
32MM NB	1.25 INCH (1¼ INCH)	375MM NB	14 INCH
40MM NB	1.5 INCH (1½ INCH)	400MM NB	16 INCH
50MM NB	1.5 INCH (1½ INCH)	450MM NB	18 INCH
65MM NB	2.5 INCH (2½ INCH)	600MM NB	22 INCH
80MM NB	3 INCH	700MM NB	26 INCH
100MM NB	4 INCH	750MM NB	30 INCH
125MM NB	5 INCH	800MM NB	36 INCH
150MM	6 INCH	900MM NB	40 INCH

OUR IN HOUSE ENGINEERING DIVISION CAN RE INSTALL ANY TYPE AND SIZE OF MESH IN SHORT LEAD TIME. GSL ENGINEERING CAN SUPPLY AND FIT ANY SIZE OF WOVEN OR PERFORATED MESH TO OUR LARGE STOCKHOLDINGS OF BASKET AND Y-STAINERS, FROM 5 MICRON TO 5MM APERTURE.

CERTIFICATION:- MATERIAL & TEST CERTIFICATION TO EN10204-3.1 (DIN500493.1) (FORMERLY 50049.3.1B)

WE CAN SOURCE AND IMPORT ALL TYPES OF Y STRAINERS AND BASKET STRAINERS EX OUR OVERSEAS SOURCES FROM STOCK OR EX FACTORY. WE CAN SUPPLY GENUINE OR EQUIVALENT FLOWTURN STRAINERS TO ARMSTRONG®, CLAM®, DOUGLAS CHERO®, ME MACK®, MUELLER®, SPIRAX SARCO® AND ALL MAJOR BRANDS FROM STOCK AND ON INDENT.

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
------	----	--------------	--------	------	-------	-------------	------	------	-----

www.globalsupplyline.com.au

Strainers-Stockist-Y-Basket-Type.xls

SORT B,D,I,F,G

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
------	----	--------------	--------	------	-------	-------------	------	------	-----

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
------	----	--------------	--------	------	-------	-------------	------	------	-----

TYPE	SIZE MM INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
------	-----------------	--------	------	-------	-------------	------	------	-----

THIS LIST INCLUDES:- Y TYPE AND BASKET (BUCKET) TYPE IN THE FOLLOWING NB:- 6MM, 8MM, 10MM, 15MM, 20MM, 25MM, 32MM, 40MM, 50MM, 65MM, 80MM, 100MM, 125MM, 150MM, 200MM, 250MM, 300MM, 350MM, 400MM, 500MM (1 INCH, 1.5 INCH, 2 INCH, 3 INCH, 4 INCH, 6 INCH, 8 INCH, 10 INCH, 12 INCH, 14 INCH) IN ANSI CLASS 150, 300 CLASS, 600 CLASS, 800 CLASS, 900 CLASS, 1500 CLASS, 2500 CLASS AND 1000, 2000, 3700PSI & 6000PSI

END CONNECTIONS:- ANSI B16.5, ANSI B16.1, ANSI B16.25, BS21

BODY MATERIALS:- ASTM A105N, A216 WCB, A216 LCB, ASTM A350 LF2, AUSTENITIC:-ASTM A351 CF8, ASTM A351 CF8M, ASTM A216 GR WCB, ASTM A351 GR CF8M, A216 GR LCB, ASTM A182 F51 (DUPLEX) ASTM A182 F55 (SUPER DUPLEX), ALLOY 20-CN7M, ASTM A182 F316L, ASTM A182 F316, ASTM A182 F304L, ASTM A182 F304

END TYPES:- NPT THREADED, BUTTWELD (BUTT WELD,) SOCKETWELD (SOCKET WELD), FLANGED ANSI RF (SMOOTH FINISH & STOCK FINISH), FLANGED ANSI RING JOINT (RING GROOVE), FLANGED AS TABLE D,E,F,H,J., FLANGED BS TABLE D,E,F,H,J.

TRIM TYPES:- ASTM A182 316L, ASTM A182 316, ASTM A182 304L, ASTM A182 304, ALLOY 20, NACE MR-01-75

STANDARDS:- TO ASME ANSI B16.34, ANSI B31 AND BS

DIMENSIONS:- TO ANSI B16.10, BS, AS

STRAINER BONNETS:- QUICK RELEASE LID (BRIDGE TYPE CLOSURE), BOLTED BONNET, SCREWED BONNET

STYLES:- Y (WYE, T TYPE, SIMPLEX BASKET TYPE (BUCKET TYPE), DUPLEX BASKET TYPE

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
------	----	--------------	--------	------	-------	-------------	------	------	-----

www.globalsupplyline.com.au

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
------	----	--------------	--------	------	-------	-------------	------	------	-----

TYPE	MM	SIZE INCH	RATING	ENDS	MAKER	DESCRIPTION	BODY	TRIM	QTY
------	----	-----------	--------	------	-------	-------------	------	------	-----

CAST IRON/DUCTILE IRON Y-TYPE & BASKET STRAINER STANDARDS

Our large stock of Cast Iron & Ductile Iron **Y-Type & Basket Strainers** in our Australian inventory conforms to the following standards. Global Supply Line is the largest Australian stockist and supplier of **Iron Y-Type & Basket Strainers** valves. Australian Pipeline Valve - Flowturn is a quality manufacturer of fully tested & guaranteed **Y-Type & Basket Strainers** valves.

Stock range of valves in Cast Iron, Ductile Iron & Steel ex Adelaide - Australia: -

Ball Valves, Swing Check Valves, Dual Flap Wafer Check Valves, Wedge Gate Valves, Parallel Slide Gate Valves, Globe Valves, Screw Down Non Return Valves, Plug Valves, Y-Strainers, Basket Strainers. Size range 6NB to 900NB (1/4" to 36") Cast Iron, Ductile Iron, Carbon Steel, Stainless Steel, Alloy Steel, Duplex Steel.

SPECIFICATION

AS2129
AS4087*
AS4331.1 & AS4331.2 (DIN 2034)
ASME (ANSI) B16.5

CLASSES

TABLE D / E / F / H / J
PN14 / PN16 / PN21 / PN35
PN10 / PN16 / PN25 / PN50 / PN110 / PN150
CLASS 150LB / CLASS 300LB / CLASS 600LB / CLASS 900LB / CLASS 1500LB

[Click here](https://www.australianpipelinevalve.com.au/Flipbook/FLOWTURN_STRAINERS_SIGHT_GLASSES_CATALOGUE_STOCKIST/index.html?page=1) (https://www.australianpipelinevalve.com.au/Flipbook/FLOWTURN_STRAINERS_SIGHT_GLASSES_CATALOGUE_STOCKIST/index.html?page=1) for the Flowturn Strainer catalogue (we stock all sizes)

* Covers pressure class PN14, PN21, PN35 equivalent drilling to BS10D, BS10E, etc. See Global Supply Line Slide rule for minor metrication differences [Click here](http://globalsupplyline.com.au/flange-tablechart-size-as-ansi/) (http://globalsupplyline.com.au/flange-tablechart-size-as-ansi/)