

MANUFACTURER	DESCRIPTION	QTY	NOTES
WELLHEAD CASING HEADS (BRADEN HEADS) 'A' SECTION			
CIW	13 3/8" 5K X 13 5/8" SOW	1	2" LP-NPT OUTLETS
CIW	13 5/8" 3K X 13 3/8" BTC	1	2 1/16" 5M OUTLETS 1208-22-10-P
CIW	13 5/8" 3K X 13 3/8" BTC TYPE S	1	2" LP-NPT OUTLETS 2070323-01-01 'CC'
FMC-APV	11" 3K X 9 5/8" SOW C22	2	2" LP-NPT OUTLETS
FMC-APV	11" 3K X 9 5/8" LTC C22	1	2" LP-NPT OUTLETS
FMC	13 5/8" 3K X 13 3/8" BTC	1	2" LP-NPT OUTLETS
FMC	21 1/4" 2K X 20" SOW C22	3	2" LP-NPT OUTLETS

ABBREVIATIONS:- 2K=2000PSI, 3K=3000PSI, 5K=5000PSI, BTC=BUTTRESS THREAD, LP=LINE PIPE SCREWED (NPT), LTC=LONG THREAD CASING (8RD), SOW=SLIP ON WELD.

GLOBAL SUPPLY LINE PRODUCT RANGE WELLHEAD EQUIPMENT

OCT (FMC®™) AND CAMERON®™ (CIW) STYLES, BRADEN HEADS (CASING HEADS), CASING SPOOLS, TUBING SPOOLS, CHRISTMAS TREES, ADAPTOR FLANGES, ADAPTOR SPOOLS, VALVES AND CHOKES. X-BUSHINGS, FBBEN AND TCIA TUBING HANGERS, CA AND CW CASING SLIPS, NIPPLES, LUBRICATES BPV VALVES ETC.

1 13/16 INCH, 2 1/16 INCH 2 9/16 INCH, 3 1/8 INCH, 3 1/16 INCH, 4 1/16 INCH, 7 1/16 INCH, 9 INCH, 11 INCH, 13 5/8 INCH, 16 3/4 INCH, 21 1/4 INCH, 20 3/4 INCH.

API6A 200 LB (2000 PSI), 3000 LB (3000 PSI), 5000 LB (5000 PSI), 10000 LB (10000 PSI), 15000 LB (15000 PSI).

UNLESS STATED ALL ITEMS ARE TO API6A AND FORGED IN 4130 OR 4140 GRADE AS STANDARD, PSL2 (DUAL CONFORMS PSL1), 'EE' TRIM (DUAL CONFORM AA,BB,DD) PR1, PR2, TEMP 'Y' (DUAL CONFORMING TO K,L,M,N). NACE MR-01-75 MOST ITEMS. MANUFACTURED BY API6A LICENSED MANUFACTURERS. ALL ITEMS ARE FULLY INTEGRAL NO WELDS.

WE CAN SUPPLY WELLHEAD EQUIPMENT COMPATIBLE WITH CAMERON, FMC AND OTHER MAJORS IN VERY SHORT DELIVERY SOURCING FROM OUR USA AND EUROPEAN API6A LICENSE MANUFACTURERS.

www.globalsupplyline.com.au

CASING SPOOLS



MANUFACTURER	DESCRIPTION	QTY	NOTES
WELLHEAD - CASING SPOOLS 'B' SECTION			
CIW	13 5/8" 3K X 11" 5K WF	2	2 1/16" 5K OUTLETS 15202-22-10-1
CIW	13 5/8" 3K X 11" 3K WF	3	2 1/16" 5K OUTLETS 43683-2-10-10A2
CIW	13 5/8" 3K X 11" 5K AP	1	2 1/16" 5K OUTLETS 221-28-2210-10
CIW	13 5/8" 5K X 11" 5K F	1	2 1/16" 5K OUTLETS
CIW	13 5/8" 5K X 11" 10K	1	2 1/16" 10K OUTLETS 30052-22-96
FMC	13 5/8" 3K X 11" 3K C22	3	2 1/16" 5K OUTLETS 13-201-451
FMC	21 1/4" 2K X 13 5/8" 3K C22	2	2 1/16" 3K OUTLETS
GRAY	13 5/8" 5K X 11" 5K	1	2 1/16" 5K OUTLETS

ABBREVIATIONS:- 2K=2000PSI, 3K=3000PSI, 5K=5000PSI, 10K=10000PSI

UNLESS STATED ALL ITEMS ARE TO API6A, FORGED IN 4130 OR 4140 GRADE TO PSL2 (DUAL CONFORMS PSL1), 'EE TRIM (DUAL CONFORMS AA, BB, DD), PR1, PR2, TEMP 'Y' (DUAL CONFORMING TO K, L, M, N) NACE MR-01-75 MOST ITEMS. MANUFACTURED BY API6A LICENSED MANUFACTURERS. FORGED NOT CAST AND ARE FULLY INTEGRAL NO WELDS.

WE CAN SUPPLY WELLHEAD EQUIPMENT COMPATIBLE WITH CAMERON, FMC AND OTHER MAJORS IN VERY SHORT DELIVERY, SOURCING FROM OUR USA AND EUROPEAN API6A LICENSE MANUFACTURERS.

www.globalsupplyline.com.au

TUBING SPOOLS



MANUFACTURER	DESCRIPTION	QTY	NOTES
WELLHEAD - TUBING SPOOLS 'C' SECTION			
CIW	11" 3K X 7 1/16" 3K TYPE F CC	2	02 54 861-01/15054-020-10-10 2 1/16" 5K OUTLETS
CIW	11" 10K X 7 1/16" 10K	1	608827-0381/608828-04 2 1/16" 10K OUTLETS
CIW-APV	11" 5K X 7 1/16" 5K	1	2 1/16" 5K OUTLETS
FMC	11" 5K X 7 1/16" 5K	1	2 1/16" 5K OUTLETS
FMC	13 5/8" 3K X 11" 3K	1	2 1/16" 3K OUTLETS TC3 NO.10

ABBREVIATIONS:- **3K**=3000PSI, **5K**=(5000PSI), **10K**=(10,000PSI)

ALL ITEMS ARE TO API6A AND FORGED IN 4130 OR 4140 GRADE TO PSL2 (DUAL CONFORMS PSL1), 'EE' TRIM (DUAL CONFORM AA, BB, DD), PR1, PR2 TEMP 'Y' (DUAL CONFORMING TO K, L, M, N)

NACE MR-01-75 MANUFACTURED BY API6A LICENSED MANUFACTURERS. FULLY INTEGRAL NO WELDS.

WE CAN SUPPLY WELLHEAD EQUIPMENT COMPATIBLE WITH CAMERON, FMC AND OTHER MAJORS IN VERY SHORT DELIVERY, SOURCING FROM OUR USA AND EUROPEAN API6A LICENSED MANUFACTURERS.

www.globalsupplyline.com.au